For Residential and Commercial Applications

Job Name	Contractor
Job Location	Approval
Engineer	Contractor's P.O. No.
Approval	Representative
1 to	1 lopi coci itativo

LEAD FREE*

Series LF3004

Dielectric Unions

Sizes: 1/2" - 2" (15 - 50mm)

Series LF3004 Dielectric Unions feature female iron pipe thread to female iron pipe thread (zinc plated) connections. These unions are designed to be installed to prevent accelerated corrosion and deterioration in the piping system due to galvanic and stray current. The LF3004 features Lead Free* construction to comply with Lead Free* installation requirements.

Features

- Female iron pipe thread to female iron pipe thread (zinc plated) connections.
- Designed and manufactured to the highest quality standards
- Individually factory certified to withstand a minimum of 600 volts on a dry line with no flashover
- Rated to 180°F (82°C) at 250psi (17.2 bar)

Specifications

A dielectric union shall be installed where indicated on the plans. The union shall feature a female iron pipe thread to female iron pipe thread (zinc plated) connections. The union shall be a Watts Series LF3004.




LF3004

Standards

Meets federal specifications for tensile strength and thread end connections

Pressure — Temperature

Maximum Pressure: 250psi (17.2 bar) Maximum Temperature: 180°F (82°C)



Materials - Dimensions - Weights

SIZE		MATERIALS				DIMENSIONS				WEIGHT		
		TAIL PIECE †	ADAPTER †	NUT †	INSULATOR	GASKET	A		В			
in.	mm						in.	mm	in.	mm	OZ.	gm.
1/2	15	Steel	Steel	Steel	Polysulfone	Buna-N	1%	41	21/4	57	7.8	221
3/4	20	Steel	Steel	Steel	Polysulfone	Buna-N	1%	48	21/4	57	10.9	309
1	25	Steel	Steel	Steel	Polysulfone	Buna-N	21/4	58	21/2	64	16.6	471
11/4	32	Steel	Steel	Malleable Iron	Polysulfone	Buna-N	23/4	70	23/4	70	23.5	666
11/2	40	Malleable Iron	Malleable Iron	Malleable Iron	Polysulfone	Buna-N	31/2	89	23/4	70	44.5	1262
2	50	Malleable Iron	Malleable Iron	Malleable Iron	Polysulfone	Buna-N	41/8	105	31//8	79	67.2	1905

[†] Steel and malleable iron components are zinc plated

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Watts product specifications in U.S. customary units and metric are approximate and are provided for reference only. For precise measurements, please contact Watts Technical Service. Watts reserves the right to change or modify product design, construction, specifications, or materials without prior notice and without incurring any obligation to make such changes and modifications on Watts products previously or subsequently sold.







USA: Tel: (978) 688-1811 • Fax: (978) 794-1848 • www.watts.com **Canada:** Tel: (905) 332-4090 • Fax: (905) 332-7068 • www.watts.ca

A Watts Water Technologies Company